

1 月 2017

A 浜 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1															
月	2				2															
火	3				3															
水	4				4													1	1	0.3
木	5				5	1												1	2	0.6
金	6				6	1												1	2	0.6
土	7				7	1		1										2	4	1.2
日	8				8															
月	9				9	1													1	0.3
火	10				10	1		1										1	3	0.9
水	11				11								1					1	2	0.6
木	12				12	1												1	2	0.6
金	13				13															
土	14				14													1	1	0.3
日	15				15													1	1	0.3
月	16				16	1								1				1	3	0.9
火	17				17	1		1										2	4	1.2
水	18				18													1	1	0.3
木	19				19	1		1										1	3	0.9
金	20				20			1										1	2	0.6
土	21				21			1										1	2	0.6
日	22				22													1	1	0.3
月	23				23	1												2	3	0.9
火	24				24			1										1	2	0.6
水	25				25													1	1	0.3
木	26				26													1	1	0.3
金	27				27			1											1	0.3
土	28				28	1													1	0.3
日	29				29													1	1	0.3
月	30				30			1										1	2	0.6
火	31				31			1											1	0.3
					合 計	11		10						2				25	48	14.8
			計測時間(7:00~9:00)		1日当平均	0.4		0.3						0.1				0.8	1.5	0.5
					個/cm ²	3.4		3.1						0.6				7.7	14.8	4.6

1 月 2017

B 中間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1															
月	2				2															
火	3				3													1	1	0.3
水	4				4	1												1	2	0.6
木	5				5															
金	6				6	1												1	2	0.6
土	7				7			1										2	3	0.9
日	8				8															
月	9				9													1	1	0.3
火	10				10													1	1	0.3
水	11				11													1	1	0.3
木	12				12													1	1	0.3
金	13				13	1												2	3	0.9
土	14				14													1	1	0.3
日	15				15													2	2	0.6
月	16				16	1												2	3	0.9
火	17				17	1		1						1				1	4	1.2
水	18				18													1	1	0.3
木	19				19			1										1	2	0.6
金	20				20															
土	21				21															
日	22				22													1	1	0.3
月	23				23			1										1	2	0.6
火	24				24	1													1	0.3
水	25				25			1										1	2	0.6
木	26				26													1	1	0.3
金	27				27	1													1	0.3
土	28				28			1											1	0.3
日	29				29													1	1	0.3
月	30				30	1												1	2	0.6
火	31				31			1										1	2	0.6
					合 計	8		7						1				26	42	13.0
			計測時間(7:00~9:00)		1日当平均	0.3		0.2										0.8	1.4	0.4
					個/cm ²	2.5		2.2					0.3					8.0	13.0	4.0

1 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1															
月	2				2															
火	3				3	1												1	2	0.6
水	4				4	1		1										1	3	0.9
木	5				5															
金	6				6													1	1	0.3
土	7				7	1		1										1	3	0.9
日	8				8															
月	9				9													1	1	0.3
火	10				10		1											1	2	0.6
水	11				11	1		1							1			1	4	1.2
木	12				12													1	1	0.3
金	13				13															
土	14				14															
日	15				15													1	1	0.3
月	16				16	1												1	2	0.6
火	17				17			1										1	2	0.6
水	18				18															
木	19				19			1											1	0.3
金	20				20															
土	21				21															
日	22				22															
月	23				23	1		1										1	3	0.9
火	24				24	1												1	2	0.6
水	25				25			1										1	2	0.6
木	26				26			1										2	3	0.9
金	27				27	1												2	3	0.9
土	28				28													1	1	0.3
日	29				29													1	1	0.3
月	30				30	1		1										1	3	0.9
火	31				31													1	1	0.3
					合 計	9	1	9							1			22	42	13.0
			計測時間(7:00~9:00)		1日当平均	0.3		0.3										0.7	1.4	0.4
					個/cm ²	2.8	0.3	2.8							0.3			6.8	13.0	4.0

2 月 2017

A 浜 側

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
1				1			1										1	0.3
2				2	1												1	0.3
3				3			1										1	0.3
4				4	1												1	0.3
5				5			2									1	3	0.9
6				6			2									1	3	0.9
7				7	1											1	2	0.6
8				8	1												1	0.3
9				9														
10				10												1	1	0.3
11				11														
12				12												1	1	0.3
13				13												1	1	0.3
14				14												1	1	0.3
15				15												1	1	0.3
16				16														
17				17	1												1	0.3
18				18												3	3	0.9
19				19	2												2	0.6
20				20	3											1	4	1.2
21				21	4											1	5	1.5
22				22														
23				23	1											1	2	0.6
24				24	3												3	0.9
25				25	5		1									1	7	2.2
26				26	8		2									1	11	3.4
27				27	9		2									2	13	4.0
28				28	8												8	2.5
29				29														
30				30														
31				31														
				合 計	48		11									18	77	23.8
計測時間(7:00~9:00)				1日当平均	1.5		0.4									0.6	2.5	0.8
				個/cm ²	14.8		3.4									5.6	23.8	7.3

2 月 2017

B 中 間

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1				1			1									1	2	0.6	
2				2															
3				3												1	1	0.3	
4				4															
5				5			3										3	0.9	
6				6	1		3										4	1.2	
7				7												1	1	0.3	
8				8															
9				9															
10				10												1	1	0.3	
11				11			1										1	0.3	
12				12															
13				13															
14				14			1										1	0.3	
15				15			1									1	2	0.6	
16				16															
17				17	2		1										3	0.9	
18				18	1		1										2	0.6	
19				19	2												2	0.6	
20				20	2												2	0.6	
21				21	2												2	0.6	
22				22			1										1	0.3	
23				23															
24				24												2	2	0.6	
25				25	2		1										3	0.9	
26				26	6		1										7	2.2	
27				27	7		1									1	9	2.8	
28				28	3		1										4	1.2	
29				29															
30				30															
31				31															
				合 計	28		17									8	53	16.4	
				計測時間(7:00~9:00)	1日当平均		0.9		0.5							0.3	1.7	0.5	
					個/cm ²		8.6		5.2							2.5	16.4	5.0	

2 月 2017

C 山 側

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1				1													1	1	0.3
2				2													1	1	0.3
3				3													2	2	0.6
4				4													1	1	0.3
5				5				2										2	0.6
6				6				3										3	0.9
7				7															
8				8	1			2										3	0.9
9				9				2										2	0.6
10				10													1	1	0.3
11				11				1										1	0.3
12				12				1										1	0.3
13				13				1										1	0.3
14				14															
15				15				1										1	0.3
16				16															
17				17															
18				18	2			3										5	1.5
19				19	2													2	0.6
20				20	2													2	0.6
21				21	4													4	1.2
22				22	1													1	0.3
23				23															
24				24	5												2	7	2.2
25				25	1												1	2	0.6
26				26	5			4									1	10	3.1
27				27	6			5									1	12	3.7
28				28	1													1	0.3
29				29															
30				30															
31				31															
				合 計	30		25										11	66	20.4
				計測時間(7:00~9:00)	1日当平均	1.0	0.8										0.4	2.1	0.7
					個/cm ²	9.3	7.7										3.4	20.4	6.3

3 月 2017

A 浜 側

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
1	1	2	3	1	6		4										10	3.1
2	2	7	4	2	3											6	9	2.8
3	1	7	4	3	89											2	91	28.1
4	1	3	4	4	17											1	18	5.6
5				5	90											1	91	28.1
6	1	8	3	6	91		1									1	93	28.7
7	1	6	2	7	117											1	118	36.4
8	2		4	8	123												123	38.0
9	1	2	3	9	109												109	33.6
10	3	6	2	10	26		2										28	8.6
11	1	6	4	11	35											1	36	11.1
12				12	47												47	14.5
13	1	8	4	13	48												48	14.8
14	1	8	3	14	63											6	69	21.3
15	1	4	3	15	285		4									4	293	90.4
16	2	7	4	16	24												24	7.4
17	1	4	4	17	27												27	8.3
18	1	4	4	18	44											2	46	14.2
19				19	101		14										115	35.5
20	1	9	4	20	102		15										117	36.1
21	7	7	3	21	322		5									2	329	101.5
22	1	7	4	22	19		1									1	21	6.5
23	1	6	4	23	171		24									4	199	61.4
24	1	7	4	24	21		3									1	25	7.7
25	1	8	3	25	147		11									3	161	49.7
26				26	37												37	11.4
27	4	8	4	27	37	1	1									1	40	12.3
28	5	8	4	28	121		1									3	125	38.6
29	5	6	4	29	18	2	2									1	23	7.1
30	1	10	4	30	11		2									4	17	5.2
31	1	9	2	31	36	22	1									3	62	19.1
				合 計	2387	25	91									48	2551	787.3
				計測時間(7:00~9:00)	1日当平均	77.0	0.8	2.9								1.5	82.3	25.4
					個/cm ²	736.7	7.7	28.1								14.8	787.3	243.0

3 月 2017

B 中 間

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
1	1	2	4	1	3		1										4	1.2
2	2	8	3	2	9		2									1	12	3.7
3	1	7	4	3	112												112	34.6
4	1	6	4	4	21												21	6.5
5				5	96		1										97	29.9
6	1	8	3	6	97											1	98	30.2
7	1	6	2	7	102		2									2	106	32.7
8	2	2	2	8	146		1										147	45.4
9	1	2	3	9	69												69	21.3
10	3	7	2	10	40		1										41	12.7
11	1	8	4	11	43												43	13.3
12				12	58		1									1	60	18.5
13	1	8	4	13	58		1									1	60	18.5
14	1	8	3	14	90											4	94	29.0
15	1	8	4	15	450											3	453	139.8
16	2	6	3	16	49											1	50	15.4
17	1	4	4	17	51											2	53	16.4
18	1	8	4	18	71		2									1	74	22.8
19				19	124		25									7	156	48.1
20	1	13	3	20	125		26									7	158	48.8
21	7	8	4	21	256		26									4	286	88.3
22	1	8	4	22	65		2									3	70	21.6
23	1	7	3	23	235	1	47										283	87.3
24	1	8	4	24	42		12									2	56	17.3
25	1	9	3	25	114		16									7	137	42.3
26				26	62		4									1	67	20.7
27	4	10	3	27	62		4									2	68	21.0
28	5	8	4	28	139		15									3	157	48.5
29	5	4	3	29	10	1	10									1	22	6.8
30	1	13	3	30	6	1	4									2	13	4.0
31	1	6	3	31	75	12	13									3	103	31.8
				合 計	2880	15	216									59	3170	978.4
計測時間(7:00~9:00)				1日当平均	92.9	0.5	7.0									1.9	102.3	31.6
				個/cm ²	888.9	4.6	66.7									18.2	978.4	302.0

3 月 2017

C 山 側

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²	
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ				
1	1	1	3	1	4		1										5	1.5	
2	2	5	3	2	4												4	1.2	
3	1	4	4	3	59		1									2	62	19.1	
4	1	3	3	4	14												14	4.3	
5				5	54												54	16.7	
6	1	7	3	6	54											1	55	17.0	
7	1	4	3	7	84		2										86	26.5	
8	2		2	8	182											2	184	56.8	
9	1	2	3	9	80												80	24.7	
10	3	5	2	10	43											3	46	14.2	
11	1	5	4	11	39		6										45	13.9	
12				12	46		4									3	53	16.4	
13	1	6	4	13	45		3									2	50	15.4	
14	1	5	2	14	92		3									1	96	29.6	
15	1	4	4	15	322		49									12	383	118.2	
16	2	2	4	16	50											4	54	16.7	
17	1	7	4	17	39		28										67	20.7	
18	1	7	4	18	63		10									6	79	24.4	
19				19	117		16									2	135	41.7	
20	1	10	2	20	118		16									2	136	42.0	
21	7	6	4	21	302		84										386	119.1	
22	1	6	2	22	77	2	12									7	98	30.2	
23	1	4	3	23	240		43									1	284	87.7	
24	1	7	4	24	32		45									18	95	29.3	
25	1	8	2	25	108		32									51	191	59.0	
26				26	47		14										61	18.8	
27	4	8	2	27	48	1	15									1	65	20.1	
28	5	8	4	28	150		5									2	157	48.5	
29	5	8	4	29	15	4	7										26	8.0	
30	1	8	3	30	25	1	14										40	12.3	
31	1	10	4	31	149	1	26									9	185	57.1	
				合 計	2702	9	436									129	3276	1011.1	
				計測時間(7:00~9:00)	1日当平均	87.2	0.3	14.1									4.2	105.7	32.6
					個/cm ²	834.0	2.8	134.6									39.8	1011.1	312.1

4 月 2017

A 浜 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
土	1	1	6	4	1	15		3									18	5.6	
日	2				2	31	15	11									4	61	18.8
月	3	1	6	4	3	31	14	11									5	61	18.8
火	4	1	8	4	4	27	11	13										51	15.7
水	5	1	10	4	5	20	7	3										30	9.3
木	6	1	14	4	6	56		15									15	86	26.5
金	7	3	15	2	7	36	9	23									8	76	23.5
土	8	5	16	3	8	21	6	2									9	38	11.7
日	9				9	5	188	38									1	232	71.6
月	10	3	9	3	10	6	189	38									2	235	72.5
火	11	4	10	2	11	18	442	19									6	485	149.7
水	12	5	12	4	12	5	50	8									6	69	21.3
木	13	1	8	4	13	2	157	40									11	210	64.8
金	14	1	8	3	14	42	1247	187									46	1522	469.8
土	15	1	16	3	15	6	197	134					4				55	396	122.2
日	16				16	1	87	65					4				11	168	51.9
月	17	1	16	4	17		87	65					3				10	165	50.9
火	18	5	16	2	18		3											3	0.9
水	19	1	17	2	19		129	158					48				96	431	133.0
木	20	1	12	2	20		183	45					96				197	521	160.8
金	21	1	14	4	21		39	44					18				45	146	45.1
土	22	3	14	2	22		13	4					38				80	135	41.7
日	23				23		25	17					33				68	143	44.1
月	24	1	10	4	24		26	17					34				68	145	44.8
火	25	1	16	3	25		74	49					39				102	264	81.5
水	26	1	16	3	26		39	171					36	3			29	278	85.8
木	27	1	14	3	27		5	2					8				27	42	13.0
金	28	1	10	3	28		1	41					33				69	144	44.4
土	29	1	17	3	29		2	47					18				158	225	69.4
日	30				30		4						17		4		85	110	34.0
	31				31														
					合 計	322	3249	1270					429	3	4		1213	6490	2003.1
			計測時間(7:00~9:00)		1日当平均	10.4	104.8	41.0					13.8	0.1	0.1		39.1	209.4	64.6
					個/cm ²	99.4	1002.8	392.0					132.4	0.9	1.2		374.4	2003.1	618.2

4 月 2017

B 中間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
土	1	1	12	3	1	10	6	5									1	22	6.8
日	2				2	38	16	20									7	81	25.0
月	3	1	8	3	3	38	16	21									7	82	25.3
火	4	1	11	4	4	47	14	6										67	20.7
水	5	1	14	4	5	36	15	25									20	96	29.6
木	6	1	12	3	6	98	7	24									5	134	41.4
金	7	3	16	3	7	12		8									2	22	6.8
土	8	5	19	3	8	2												2	0.6
日	9				9	4	445	67					1					517	159.6
月	10	3	10	2	10	4	445	67					1				1	518	159.9
火	11	4	10	2	11	45	2814	121									20	3000	925.9
水	12	5	13	4	12	28	36	5									2	71	21.9
木	13	1	10	4	13	18	300	44					1				20	383	118.2
金	14	1	12	3	14	92	1466	225									61	1844	569.1
土	15	1	19	2	15	44	326	93									19	482	148.8
日	16				16	7	254	44					11				11	327	100.9
月	17	1	19	4	17	8	254	45					11				11	329	101.5
火	18	5	18	2	18	1	20	8					3				1	33	10.2
水	19	1	18	2	19		218	247					15	4			288	772	238.3
木	20	1	14	4	20	2	389	27					265				199	882	272.2
金	21	1	15	2	21		14	54					134				156	358	110.5
土	22	3	17	4	22		20	13					378				306	717	221.3
日	23				23		25	10					111				82	228	70.4
月	24	1	18	4	24	1	25	11					111				82	230	71.0
火	25	1	16	4	25	1	120	117					154				229	621	191.7
水	26	1	17	3	26	4	62	21					63	12			239	401	123.8
木	27	1	14	3	27		11	13					37				52	113	34.9
金	28	1	13	3	28		2	63					79				197	341	105.2
土	29	1	19	3	29		9	212					61				239	521	160.8
日	30				30		1	1					32	1	7		136	178	54.9
	31				31														
					合 計	540	7330	1617					1468	17	7		2393	13372	4127.2
					計測時間(7:00~9:00)	1日当平均	17.4	236.5	52.2				47.4	0.5	0.2		77.2	431.4	133.1
						個/cm ²	166.7	2262.3	499.1				453.1	5.2	2.2		738.6	4127.2	1273.8

4 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
土	1	1	6	3	1	8		4									2	14	4.3
日	2				2	30	11	21									16	78	24.1
月	3	1	6	4	3	30	10	20									15	75	23.1
火	4	1	10	3	4	44	24	36									5	109	33.6
水	5	1	10	4	5	48	28	13									3	92	28.4
木	6	1	15	3	6	113	1	24									8	146	45.1
金	7	3	14	1	7	16		3									1	20	6.2
土	8	5	16	3	8												1	1	0.3
日	9				9	1	522	17									3	543	167.6
月	10	3	6	2	10	2	522	18									3	545	168.2
火	11	4	10	1	11	2	238	5									2	247	76.2
水	12	5	10	4	12	5	86	5									3	99	30.6
木	13	1	9	4	13	2	171	28									6	207	63.9
金	14	1	14	3	14	73	1345	82					1				23	1524	470.4
土	15	1	16	2	15	10	242	157									24	433	133.6
日	16				16	1	75	74					2				24	176	54.3
月	17	1	16	4	17	1	74	74					1				24	174	53.7
火	18	5	18	3	18		5	2										7	2.2
水	19	1	17	3	19	6	163	215					15				307	706	217.9
木	20	1	15	3	20		216	48					3				183	450	138.9
金	21	1	12	2	21		41	10					13				48	112	34.6
土	22	3	16	2	22	7	85	50					29				5	176	54.3
日	23				23		87	22					12				3	124	38.3
月	24	1	16	4	24		86	21					12				3	122	37.7
火	25	1	13	3	25		219	47					19				71	356	109.9
水	26	1	14	4	26		50	420					29	3			121	623	192.3
木	27	1	12	2	27		1	4					4				34	43	13.3
金	28	1	15	3	28		1	39					38				224	302	93.2
土	29	1	15	2	29			54					19				402	475	146.6
日	30				30		10	422					31				17	480	148.1
	31				31														
					合 計	399	4313	1935					228	3			1581	8459	2610.8
			計測時間(7:00~9:00)		1日当平均	12.9	139.1	62.4					7.4	0.1			51.0	272.9	84.2
					個/cm ²	123.1	1331.2	597.2					70.4	0.9			488.0	2610.8	805.8

5 月 2017

A 浜 側

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
月	1	2	18	3	1	5						18		5		86	114	35.2
火	2	1	21	3	2	39	112					21				150	322	99.4
水	3	1	16	3	3	4	4					18		2		204	232	71.6
木	4	1	19	3	4	1	20					4		1		91	117	36.1
金	5	1	20	4	5	4	19					6	38			85	152	46.9
土	6	1	22	4	6	8	1					8				85	102	31.5
日	7				7	4	19					211	1	3		173	411	126.9
月	8	1	19	3	8	5	19					211	2	4		173	414	127.8
火	9	1	19	4	9		31					256	2			164	453	139.8
水	10	4	17	2	10		3					23				84	110	34.0
木	11	4	17	2	11		1					16		2		25	44	13.6
金	12	1	17	3	12		2					33		1		40	76	23.5
土	13	3	16	2	13	1	19					15				36	71	21.9
日	14				14	1	10					46		2		11	70	21.6
月	15	1	20	4	15		11					46		1		11	69	21.3
火	16	1	17	4	16							103				116	219	67.6
水	17	1	16	2	17		2					49	7			29	87	26.9
木	18	3	16	3	18							57	1	1		21	80	24.7
金	19	1	18	4	19		1					40				32	73	22.5
土	20	1	19	4	20							72	1	4		30	107	33.0
日	21				21		4					32	10	5		14	65	20.1
月	22	1	23	4	22		4					31	10	5		15	65	20.1
火	23	1	20	3	23		1					5	1			7	14	4.3
水	24	1	21	3	24		1					7	6			8	22	6.8
木	25	4	18	3	25							7		1		1	9	2.8
金	26	3	20	3	26							4		1		4	9	2.8
土	27	3	20	3	27		1					10		2		9	22	6.8
日	28				28							5	1			4	10	3.1
月	29	1	20	3	29	1						5	1			4	11	3.4
火	30	1	23	4	30							3				4	7	2.2
水	31	1	22	4	31					3		8	1			9	21	6.5
					合 計	73	285			3		1370	82	40		1725	3578	1104.3
		計測時間(7:00~9:00)		1日当平均		2.4	9.2			0.1		44.2	2.6	1.3	0.1	55.6	115.4	35.6
				個/cm ²		22.5	88.0			0.9		422.8	25.3	12.3		532.4	1104.3	340.8

5 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
月	1	2	20	4	1		1	1					33	1	7		136	179	55.2
火	2	1	14	3	2		35	20					75		10		745	885	273.1
水	3	1	22	4	3		7	5					26		2		318	358	110.5
木	4	1	21	3	4		17	6					24				234	281	86.7
金	5	1	23	4	5		34	20					28	3			328	413	127.5
土	6	1	22	2	6		2						30				168	200	61.7
日	7				7		10	7					280		15		356	668	206.2
月	8	1	20	3	8		9	8					281		15		357	670	206.8
火	9	1	20	3	9		3	16					263				250	532	164.2
水	10	4	18	4	10			3					63				89	155	47.8
木	11	4	18	3	11								27	1	1		23	52	16.0
金	12	1	21	4	12		2	18					105	3			55	183	56.5
土	13	3	16	3	13		3	21					4	1			55	84	25.9
日	14				14			4					64	4	8		24	104	32.1
月	15	1	20	3	15			5					65	5	8		24	107	33.0
火	16	1	18	3	16		1	5					267				179	452	139.5
水	17	1	18	3	17			2					120	2			31	155	47.8
木	18	3	19	3	18		2	2					122	4	1		43	174	53.7
金	19	1	20	4	19		1	3					149	5			39	197	60.8
土	20	1	24	4	20		10						55				29	94	29.0
日	21				21			11					26	42			23	102	31.5
月	22	1	24	3	22			11					25	2	1		24	63	19.4
火	23	1	24	4	23		1						3				10	14	4.3
水	24	1	22	3	24			4					15	3			12	34	10.5
木	25	4	19	4	25								3		1		6	10	3.1
金	26	3	21	4	26								2				8	10	3.1
土	27	3	21	3	27								39				15	54	16.7
日	28				28								7	5	3		3	18	5.6
月	29	1	24	4	29			1					7	5	4		4	21	6.5
火	30	1	23	4	30		1	4					6				144	155	47.8
水	31	1	25	4	31			4					9	1			32	46	14.2
					合 計		139	181					2223	87	76		3764	6470	1996.9
			計測時間(7:00~9:00)		1日当平均		4.5	5.8					71.7	2.8	2.5		121.4	208.7	64.4
					個/cm ²		42.9	55.9					686.1	26.9	23.5		1161.7	1996.9	616.3

5 月 2017

C 山 側

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
月	1	2	17	4	1	10	421					30		4		16	481	148.5
火	2	1	14	3	2	49	146					39				240	474	146.3
水	3	1	19	4	3	5	475					23		2		41	546	168.5
木	4	1	20	3	4	2	176					14		1		121	314	96.9
金	5	1	21	4	5	5	23					10	6	24		127	195	60.2
土	6	1	19	1	6	5	9					32				210	256	79.0
日	7				7	11	27					257	2	5		245	547	168.8
月	8	1	20	4	8	11	28					257	3	5		245	549	169.4
火	9	1	18	3	9	3	32					313	3	2		168	521	160.8
水	10	4	14	4	10	3						44	20			62	129	39.8
木	11	4	16	2	11	1	4					19		1		25	50	15.4
金	12	1	20	4	12		5					53				51	109	33.6
土	13	3	13	2	13		6					1		1		43	51	15.7
日	14				14	1	7					38		3		20	69	21.3
月	15	1	19	3	15	2	8					39		4		21	74	22.8
火	16	1	17	3	16		1					237				91	329	101.5
水	17	1	17	3	17							85	5			25	115	35.5
木	18	3	18	3	18							81	1			22	104	32.1
金	19	1	20	3	19		1					82				29	112	34.6
土	20	1	24	4	20							100	1	2		30	133	41.0
日	21				21		6					85	2	1		35	129	39.8
月	22	1	23	3	22		5					84	1	1		34	125	38.6
火	23	1	22	4	23							1		1		14	16	4.9
水	24	1	19	3	24							12				20	32	9.9
木	25	4	18	4	25							6				10	16	4.9
金	26	3	20	4	26							1				1	2	0.6
土	27	3	20	3	27							24		1		11	36	11.1
日	28				28							3	2			10	15	4.6
月	29	1	20	4	29							4	2			10	16	4.9
火	30	1	22	4	30							6				8	14	4.3
水	31	1	22	3	31							12				28	40	12.3
					合 計	108	1380					1992	48	58		2013	5599	1728.1
		計測時間(7:00~9:00)		1日当平均		3.5	44.5					64.3	1.5	1.9		64.9	180.6	55.7
				個/cm ²		33.3	425.9					614.8	14.8	17.9		621.3	1728.1	533.4

6 月 2017

A 浜 側

木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1	1	20	2	1								4				8	12	3.7	
2	5	19	3	2								2		2		43	47	14.5	
3	1	20	4	3								6		2		3	11	3.4	
4				4								1				7	8	2.5	
5	1	17	4	5								1				7	8	2.5	
6	1	19	4	6								1				3	4	1.2	
7	1	18	4	7												7	7	2.2	
8	5	18	3	8								1				1	2	0.6	
9	4	20	3	9								2				6	8	2.5	
10	1	21	3	10								2				9	11	3.4	
11				11								1				11	12	3.7	
12	1	19	3	12								2				12	14	4.3	
13	1	18	4	13												2	2	0.6	
14	1	18	3	14								3		1		2	6	1.9	
15	1	21	4	15								1		2		9	12	3.7	
16	1	21	4	16								1				5	6	1.9	
17	1	18	2	17								1		2		7	10	3.1	
18				18												3	3	0.9	
19	3	21	4	19										1		3	4	1.2	
20	1	23	3	20								2				4	6	1.9	
21	1	18	1	21								2		1		9	12	3.7	
22	7	20	3	22								1				1	2	0.6	
23	3	20	4	23								1				3	4	1.2	
24	7	22	4	24								1		1		2	4	1.2	
25				25												2	2	0.6	
26	7	22	4	26												3	3	0.9	
27	1	22	3	27												4	4	1.2	
28	3	20	4	28															
29	7	23	4	29												1	1	0.3	
30	4	21	3	30												2	2	0.6	
31				31															
				合 計								36	5	7		179	227	70.1	
計測時間(7:00~9:00)				1日当平均								1.2	0.2	0.2		5.8	7.3	2.3	
				個/cm ²								11.1	1.5	2.2		55.2	70.1	21.6	

6 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
木	1	1	24	4	1								17	1			9	27	8.3
金	2	5	26	4	2								2				15	17	5.2
土	3	1	20	4	3								11	2			3	16	4.9
日	4				4								2				3	5	1.5
月	5	1	20	4	5								3	1			4	8	2.5
火	6	1	20	3	6								3				4	7	2.2
水	7	1	20	3	7								5				2	7	2.2
木	8	5	19	4	8								1					1	0.3
金	9	4	26	3	9								2				4	6	1.9
土	10	1	24	2	10								1				8	9	2.8
日	11				11								2				6	8	2.5
月	12	1	20	3	12								3	1			6	10	3.1
火	13	1	20	4	13								1				2	3	0.9
水	14	1	21	3	14												4	4	1.2
木	15	1	23	4	15												3	3	0.9
金	16	1	22	3	16												8	8	2.5
土	17	1	22	2	17								7	1			9	17	5.2
日	18				18												4	4	1.2
月	19	3	24	4	19												4	4	1.2
火	20	1	24	3	20												2	2	0.6
水	21	1	19	2	21									1			1	2	0.6
木	22	7	18	3	22												2	2	0.6
金	23	3	22	3	23												3	3	0.9
土	24	7	28	2	24									1			2	3	0.9
日	25				25														
月	26	7	25	3	26												1	1	0.3
火	27	1	23	3	27												2	2	0.6
水	28	3	23	4	28												1	1	0.3
木	29	7	24	4	29												5	5	1.5
金	30	4	22	3	30												1	1	0.3
日	31				31														
					合 計								60	8			118	186	57.4
			計測時間(7:00~9:00)		1日当平均								1.9	0.3			3.8	6.0	1.9
					個/cm ²								18.5	2.5			36.4	57.4	17.7

6 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
木	1	1	22	4	1								6	4			12	22	6.8
金	2	5	16	4	2												10	10	3.1
土	3	1	20	4	3								9	4			26	39	12.0
日	4				4								2	1			19	22	6.8
月	5	1	22	4	5			1					3	1			20	25	7.7
火	6	1	20	4	6			1					4				7	12	3.7
水	7	1	15	3	7								6				11	17	5.2
木	8	5	17	4	8												5	5	1.5
金	9	4	23	3	9			2									28	30	9.3
土	10	1	25	2	10								1				11	12	3.7
日	11				11								3				4	7	2.2
月	12	1	18	3	12								3	1			4	8	2.5
火	13	1	17	3	13												2	2	0.6
水	14	1	21	3	14								1				2	3	0.9
木	15	1	23	4	15												3	3	0.9
金	16	1	22	3	16								1		2		12	15	4.6
土	17	1	19	2	17								3				8	11	3.4
日	18				18								1				4	5	1.5
月	19	3	24	4	19								1				5	6	1.9
火	20	1	22	3	20												13	13	4.0
水	21	1	16	2	21												4	4	1.2
木	22	7	18	4	22								1				1	2	0.6
金	23	3	22	3	23												1	1	0.3
土	24	7	24	3	24												4	4	1.2
日	25				25														
月	26	7	22	3	26														
火	27	1	20	3	27														
水	28	3	20	4	28												4	4	1.2
木	29	7	20	4	29												1	1	0.3
金	30	4	20	4	30												1	1	0.3
日	31				31														
					合 計			4					45	11	2		222	284	87.7
			計測時間(7:00~9:00)		1日当平均			0.1					1.5	0.4	0.1		7.2	9.2	2.8
					個/cm ²			1.2					13.9	3.4	0.6		68.5	87.7	27.1

7 月 2017

A 浜 側

土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
1				1												2	2	0.6
2				2												2	2	0.6
3				3								1				3	4	1.2
4				4								1				2	3	0.9
5				5						1						3	4	1.2
6				6														
7				7				1								2	3	0.9
8				8												3	4	1.2
9				9						1						4	5	1.5
10				10												1	1	0.3
11				11														
12				12														
13				13														
14				14														
15				15														
16				16												1	1	0.3
17				17												1	1	0.3
18				18												1	1	0.3
19				19												2	4	1.2
20				20														
21				21												1	1	0.3
22				22														
23				23														
24				24												1	1	0.3
25				25												3	4	1.2
26				26												2	3	0.9
27				27												2	2	0.6
28				28												1	1	0.3
29				29												1	1	0.3
30				30												1	1	0.3
31				31												1	1	0.3
				合 計				2	1	2		3	1	1		40	50	15.4
				計測時間(7:00~9:00)	1日当平均			0.1		0.1		0.1				1.3	1.6	0.5
					個/cm ²			0.6	0.3	0.6		0.9	0.3	0.3		12.3	15.4	4.8

7 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
土	1				1												3	3	0.9
日	2				2												4	4	1.2
月	3				3												4	4	1.2
火	4				4											1	2	3	0.9
水	5				5												1	1	0.3
木	6				6														
金	7				7												2	2	0.6
土	8				8						1			1			1	3	0.9
日	9				9						1						2	3	0.9
月	10				10												1	1	0.3
火	11				11														
水	12				12														
木	13				13														
金	14				14														
土	15				15														
日	16				16												1	1	0.3
月	17				17												1	1	0.3
火	18				18												1	1	0.3
水	19				19					1			1	2				4	1.2
木	20				20						1			1			1	3	0.9
金	21				21									1				1	0.3
土	22				22						1			2			1	4	1.2
日	23				23									1				1	0.3
月	24				24									1				1	0.3
火	25				25									2			1	3	0.9
水	26				26									2			1	3	0.9
木	27				27									1				1	0.3
金	28				28									2			1	3	0.9
土	29				29									1			1	2	0.6
日	30				30									1			1	2	0.6
月	31				31									1			1	2	0.6
					合 計					1	4		1	19		1	31	57	17.6
			計測時間(7:00~9:00)		1日当平均						0.1			0.6			1.0	1.8	0.6
					個/cm ²					0.3	1.2		0.3	5.9		0.3	9.6	17.6	5.4

7 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
土	1				1												3	3	0.9
日	2				2												3	3	0.9
月	3				3												4	4	1.2
火	4				4								1	1			3	5	1.5
水	5				5												1	1	0.3
木	6				6												3	3	0.9
金	7				7					1							4	5	1.5
土	8				8												3	3	0.9
日	9				9					1							3	4	1.2
月	10				10												3	3	0.9
火	11				11														
水	12				12														
木	13				13														
金	14				14												1	1	0.3
土	15				15												1	1	0.3
日	16				16												1	1	0.3
月	17				17												1	1	0.3
火	18				18												1	1	0.3
水	19				19					1	1							2	0.6
木	20				20						1		1					2	0.6
金	21				21						1						1	2	0.6
土	22				22					1	2		1				1	5	1.5
日	23				23						1							1	0.3
月	24				24						1						1	2	0.6
火	25				25				1	1			1				3	6	1.9
水	26				26					1			1				4	6	1.9
木	27				27								1				4	5	1.5
金	28				28												3	3	0.9
土	29				29								1				2	3	0.9
日	30				30												3	3	0.9
月	31				31												2	2	0.6
					合 計				1	2	4	7	1	7			59	81	25.0
			計測時間(7:00~9:00)		1日当平均					0.1	0.1	0.2		0.2			1.9	2.6	0.8
					個/cm ²				0.3	0.6	1.2	2.2	0.3	2.2			18.2	25.0	7.7

8 月 2017

A 浜 側

火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1				1						1						2	3	0.9	
2				2									1			1	2	0.6	
3				3					1							2	3	0.9	
4				4												1	1	0.3	
5				5															
6				6												1	1	0.3	
7				7															
8				8					1				1			1	3	0.9	
9				9					1							1	2	0.6	
10				10															
11				11					1							1	2	0.6	
12				12					1							1	2	0.6	
13				13															
14				14					1							1	2	0.6	
15				15															
16				16					1				1				2	0.6	
17				17												1	1	0.3	
18				18									1				1	0.3	
19				19															
20				20									1			1	2	0.6	
21				21															
22				22						1			1			1	3	0.9	
23				23												2	2	0.6	
24				24									1			1	2	0.6	
25				25						1						1	2	0.6	
26				26									1			2	3	0.9	
27				27						1						1	2	0.6	
28				28									1			1	2	0.6	
29				29												2	2	0.6	
30				30												1	1	0.3	
31				31												1	1	0.3	
				合 計				7	3	1			9			27	47	14.5	
				計測時間(7:00~9:00)	1日当平均			0.2	0.1				0.3			0.9	1.5	0.5	
					個/cm ²			2.2	0.9	0.3			2.8			8.3	14.5	4.5	

8 月 2017

B 中 間

火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1				1					1		1		1			1	5	1.5	
2				2						1			1				2	0.6	
3				3					1				1			1	3	0.9	
4				4												1	1	0.3	
5				5						1							1	0.3	
6				6												1	1	0.3	
7				7												1	1	0.3	
8				8						1			1				2	0.6	
9				9												1	1	0.3	
10				10									1			1	2	0.6	
11				11									1				1	0.3	
12				12												1	1	0.3	
13				13									1			1	2	0.6	
14				14									2				2	0.6	
15				15									1			1	2	0.6	
16				16															
17				17															
18				18									1			1	2	0.6	
19				19												1	1	0.3	
20				20															
21				21									1				1	0.3	
22				22					1				1			2	5	1.5	
23				23						1						1	2	0.6	
24				24					1				1				2	0.6	
25				25									1			1	2	0.6	
26				26									1			1	2	0.6	
27				27									1			1	2	0.6	
28				28												1	1	0.3	
29				29									1				1	0.3	
30				30												1	1	0.3	
31				31												1	1	0.3	
				合 計					4	1	4		4	16			21	50	15.4
				計測時間(7:00~9:00)	1日当平均				0.1		0.1		0.1	0.5			0.7	1.6	0.5
					個/cm ²				1.2	0.3	1.2		1.2	4.9			6.5	15.4	4.8

8 月 2017

C 山 側

火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
1				1					1		1			2			2	6	1.9
2				2										1			1	2	0.6
3				3							1			2				3	0.9
4				4										1			1	2	0.6
5				5										1				1	0.3
6				6										1			1	2	0.6
7				7										1				1	0.3
8				8										2			1	3	0.9
9				9										1				1	0.3
10				10										1			1	2	0.6
11				11										1			1	2	0.6
12				12										1				1	0.3
13				13									1	2			1	4	1.2
14				14										2			1	3	0.9
15				15					1					1			1	3	0.9
16				16					1								2	3	0.9
17				17										1			1	2	0.6
18				18													1	1	0.3
19				19					1	1				1				3	0.9
20				20													1	1	0.3
21				21										1			1	2	0.6
22				22						1				1			1	3	0.9
23				23						1				1				2	0.6
24				24													1	1	0.3
25				25						1				1				2	0.6
26				26						1				1			1	3	0.9
27				27						1								1	0.3
28				28						1				1			1	4	1.2
29				29	1									1			1	3	0.9
30				30										1			2	3	0.9
31				31										1			2	3	0.9
				合 計	1				4	7	2		2	31			26	73	22.5
				計測時間(7:00~9:00)	1日当平均				0.1	0.2	0.1		0.1	1.0			0.8	2.4	0.7
					個/cm ²	0.3			1.2	2.2	0.6		0.6	9.6			8.0	22.5	7.0

9 月 2017

A 浜 側

金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²	
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ				
1	1	25	4	1				1				2				1	4	1.2	
2	1	25	4	2												4	4	1.2	
3				3									1				1	0.3	
4	1	22	4	4												1	1	0.3	
5	1	21	4	5															
6	4	20	4	6												1	1	0.3	
7	1	28	3	7															
8	3	25	2	8					1								1	0.3	
9	1	25	1	9												1	1	0.3	
10				10									1			1	2	0.6	
11	1	26	4	11									1			1	2	0.6	
12	4	24	4	12															
13	7	23	4	13												1	1	0.3	
14	1	23	3	14															
15	1	24	4	15				1	6							3	10	3.1	
16	3	22	3	16												1	1	0.3	
17				17															
18	4	16	2	18															
19	1	14	4	19					2				1			1	4	1.2	
20	1	13	4	20					5							3	9	2.8	
21	3	23	4	21								1				2	2	0.6	
22	1	21	4	22												4	4	1.2	
23	1	18	4	23												2	2	0.6	
24				24				2	8				5			3	18	5.6	
25	1	19	4	25				3	8				6			5	22	6.8	
26	1	14	3	26									2			7	9	2.8	
27	1	12	3	27			1		5							5	11	3.4	
28	4	27	4	28									1			1	2	0.6	
29	1	9	2	29					3							4	7	2.2	
30	1	14	3	30									2			2	4	1.2	
31				31															
				合 計			1	7	38			3	20			54	123	38.0	
				計測時間(7:00~9:00)	1日当平均				0.2	1.2			0.1	0.6			1.7	4.0	1.2
					個/cm ²				0.3	2.2	11.7			0.9	6.2		16.7	38.0	11.7

9 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²	
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ					
金	1	1	26	4	1						1							1	0.3		
土	2	1	23	3	2													1	0.3		
日	3				3																
月	4	1	22	4	4																
火	5	1	24	3	5																
水	6	4	22	4	6																
木	7	1	28	3	7												1	1	0.3		
金	8	3	26	4	8																
土	9	1	27	4	9																
日	10				10													3	3	0.9	
月	11	1	26	4	11	1												3	4	1.2	
火	12	4	25	4	12																
水	13	7	24	4	13																
木	14	1	23	3	14													4	4	1.2	
金	15	1	21	4	15				2					4				1	7	2.2	
土	16	3	20	2	16													2	2	0.6	
日	17				17														1	1	0.3
月	18	4	30	4	18									1					1	2	0.6
火	19	1	23	4	19														2	3	0.9
水	20	1	23	4	20														5	10	3.1
木	21	3	21	3	21														5	6	1.9
金	22	1	22	3	22										1				4	4	1.2
土	23	1	24	4	23														5	5	1.5
日	24				24					12		14			3				9	38	11.7
月	25	1	20	4	25					6		15			3				8	32	9.9
火	26	1	23	3	26							3			1				4	8	2.5
水	27	1	24	3	27					5									1	6	1.9
木	28	4	24	3	28														2	2	0.6
金	29	1	18	4	29															1	0.3
土	30	1	22	3	30														3	3	0.9
日	31				31																
					合 計	1			25	8	32			1	12			65	144	44.4	
			計測時間(7:00~9:00)		1日当平均				0.8	0.3	1.0			0.4			2.1	4.6	1.4		
					個/cm ²	0.3			7.7	2.5	9.9		0.3	3.7			20.1	44.4	13.7		

9 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
金	1	1	24	2	1			1	2								1	4	1.2
土	2	1	24	3	2												3	3	0.9
日	3				3												2	2	0.6
月	4	1	30	4	4												2	2	0.6
火	5	1	24	4	5														
水	6	4	20	4	6														
木	7	1	20	2	7														
金	8	3	25	2	8														
土	9	1	26	3	9					1				1			1	3	0.9
日	10				10												2	2	0.6
月	11	1	22	3	11					1							1	2	0.6
火	12	4	22	3	12														
水	13	7	22	4	13												1	1	0.3
木	14	1	23	3	14												5	5	1.5
金	15	1	20	4	15				3	1	1						1	6	1.9
土	16	3	16	2	16												3	3	0.9
日	17				17												2	2	0.6
月	18	4	24	3	18												2	2	0.6
火	19	1	22	3	19			1		5							2	8	2.5
水	20	1	20	4	20					4				1			5	10	3.1
木	21	3	20	4	21												2	2	0.6
金	22	1	20	3	22												4	4	1.2
土	23	1	20	3	23												3	3	0.9
日	24				24					2	15			1			13	31	9.6
月	25	1	21	4	25					2	15			1			12	30	9.3
火	26	1	21	3	26									1			3	4	1.2
水	27	1	23	3	27					2								2	0.6
木	28	4	20	2	28					1							5	6	1.9
金	29	1	18	3	29												1	1	0.3
土	30	1	20	4	30														
	31				31														
					合 計			2	5	19	31			5			76	138	42.6
			計測時間(7:00~9:00)		1日当平均			0.1	0.2	0.6	1.0			0.2			2.5	4.5	1.4
					個/cm ²			0.6	1.5	5.9	9.6			1.5			23.5	42.6	13.1

10 月 2017

A 浜 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1									1			2	3	0.9	
月	2	1	12	3	2									1			3	4	1.2	
火	3	5	20	3	3															
水	4	1	18	3	4					2							1	3	0.9	
木	5	2	18	4	5				1					1			2	4	1.2	
金	6	2	20	2	6					1							1	2	0.6	
土	7	5	19	3	7					1			1	1				3	0.9	
日	8				8								1	1				2	0.6	
月	9	1	22	3	9					1				1			1	3	0.9	
火	10	1	22	4	10									1			1	2	0.6	
水	11	1	22	4	11												3	3	0.9	
木	12	1	18	3	12												2	2	0.6	
金	13	7	12	3	13						1						1	2	0.6	
土	14	4	13	3	14									1			7	8	2.5	
日	15				15									1			1	2	0.6	
月	16	6	14	3	16									1			1	2	0.6	
火	17	5	14	4	17															
水	18	7	12	3	18															
木	19	4	14	3	19															
金	20	7	14	3	20												1	1	0.3	
土	21	4	15	3	21												2	2	0.6	
日	22				22															
月	23	5	15	1	23															
火	24	1	13	1	24															
水	25	4	14	3	25															
木	26	1	12	4	26															
金	27	1	14	3	27													3	0.9	
土	28	4	19	3	28															
日	29				29															
月	30	3	14	2	30															
火	31	1	9	3	31									1			1	2	0.6	
					合 計				1	5	1		3	10			33	53	16.4	
			計測時間(7:00~9:00)		1日当平均					0.2			0.1	0.3			1.1	1.7	0.5	
					個/cm ²				0.3	1.5	0.3		0.9	3.1			10.2	16.4	5.0	

10 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1						2				2				4	1.2
月	2	1	21	4	2						2				2				4	1.2
火	3	5	21	4	3													1	1	0.3
水	4	1	18	3	4						5								5	1.5
木	5	2	18	2	5						1							1	2	0.6
金	6	2	20	2	6													2	2	0.6
土	7	5	19.5	4	7										1				1	0.3
日	8				8													1	1	0.3
月	9	1	29	3	9						2				3			2	7	2.2
火	10	1	22	4	10															
水	11	1	22	3	11													1	1	0.3
木	12	1	23	2	12															
金	13	7	20	2	13							3						4	7	2.2
土	14	4	19	3	14													1	1	0.3
日	15				15													1	1	0.3
月	16	6	12	3	16													1	1	0.3
火	17	5	14	4	17															
水	18	7	13	4	18													2	2	0.6
木	19	4	13	3	19													5	5	1.5
金	20	7	16	3	20													1	1	0.3
土	21	4	18	2	21													4	4	1.2
日	22				22													1	1	0.3
月	23	5	15	1	23													1	1	0.3
火	24	1	13	4	24															
水	25	4	15	3	25													2	2	0.6
木	26	1	12	4	26															
金	27	1	13	3	27															
土	28	4	17	3	28													1	1	0.3
日	29				29															
月	30	3	13	2	30															
火	31	1	10	3	31													1	2	0.6
					合 計					12	3			1	8			33	57	17.6
			計測時間(7:00~9:00)		1日当平均					0.4	0.1				0.3			1.1	1.8	0.6
					個/cm ²					3.7	0.9			0.3	2.5			10.2	17.6	5.4

10 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
日	1				1										1			3	4	1.2
月	2	1	18	4	2				1	1					2			4	8	2.5
火	3	5	19	4	3															
水	4	1	14	2	4				1									1	2	0.6
木	5	2	16	2	5									1				2	3	0.9
金	6	2	18	2	6													1	1	0.3
土	7	5	15	4	7									1				1	2	0.6
日	8				8													1	1	0.3
月	9	1	22	4	9													1	1	0.3
火	10	1	22	4	10									1					1	0.3
水	11	1	22	3	11													1	1	0.3
木	12	1	18	2	12													2	2	0.6
金	13	7	16	1	13															
土	14	4	16	3	14													9	9	2.8
日	15				15													1	1	0.3
月	16	6	11	3	16													1	1	0.3
火	17	5	14	4	17															
水	18	7	13	4	18													1	1	0.3
木	19	4	10	2	19									1					1	0.3
金	20	7	13	3	20													1	1	0.3
土	21	4	16	2	21															
日	22				22													1	1	0.3
月	23	5	14	1	23													1	1	0.3
火	24	1	11	4	24															
水	25	4	12	2	25													1	1	0.3
木	26	1	13	4	26					1									1	0.3
金	27	1	12	3	27													1	5	1.5
土	28	4	15	2	28				4									1	1	0.3
日	29				29															
月	30	3	11	1	30									1					1	0.3
火	31	1	10	4	31									1				1	2	0.6
					合 計				6	2					9			36	53	16.4
			計測時間(7:00~9:00)		1日当平均				0.2	0.1				0.3				1.2	1.7	0.5
					個/cm ²				1.9	0.6				2.8				11.1	16.4	5.0

11 月 2017

A 浜 側

水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木
金
土
日
月
火
水
木

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
1				1	1												1	0.3
2				2														
3				3	1												1	0.3
4				4					1								1	0.3
5				5												1	1	0.3
6				6												1	1	0.3
7				7	1												1	0.3
8				8	1												1	0.3
9				9	1							1					2	0.6
10				10								1					1	0.3
11				11												1	1	0.3
12				12												1	1	0.3
13				13												1	1	0.3
14				14	1							1					2	0.6
15				15	1							1				1	3	0.9
16				16	1							1				1	3	0.9
17				17	1											1	2	0.6
18				18	1											1	2	0.6
19				19	1											1	2	0.6
20				20	1								1				2	0.6
21				21												1	1	0.3
22				22	1											1	2	0.6
23				23								1					1	0.3
24				24														
25				25														
26				26														
27				27								1					1	0.3
28				28												1	1	0.3
29				29								1					1	0.3
30				30												1	1	0.3
31				31														
				合 計	13				1			8	1			14	37	11.4
計測時間(7:00~9:00)				1日当平均	0.4							0.3				0.5	1.2	0.4
				個/cm ²	4.0			0.3				2.5	0.3			4.3	11.4	3.5

11 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
水	1				1								1				4	5	1.5
木	2				2								1				4	5	1.5
金	3				3								1				4	5	1.5
土	4				4												4	5	1.5
日	5				5									1			3	4	1.2
月	6				6	1								1			3	5	1.5
火	7				7	2							1				5	8	2.5
水	8				8	2							1				5	8	2.5
木	9				9	2							1				5	8	2.5
金	10				10	3								1			6	10	3.1
土	11				11	2											5	7	2.2
日	12				12	2											5	7	2.2
月	13				13	3											6	9	2.8
火	14				14	2												2	0.6
水	15				15	1											1	2	0.6
木	16				16	1											1	2	0.6
金	17				17	1												1	0.3
土	18				18	1												1	0.3
日	19				19	1												1	0.3
月	20				20	1							1					2	0.6
火	21				21	1												1	0.3
水	22				22				1									1	0.3
木	23				23	1												1	0.3
金	24				24	1							1					2	0.6
土	25				25	1							1					2	0.6
日	26				26	1											1	2	0.6
月	27				27													1	0.3
火	28				28	1							1					2	0.6
水	29				29				1								1	2	0.6
木	30				30	1							1				2	4	1.2
水	31				31														
					合 計	32			2	1			11	3			66	115	35.5
			計測時間(7:00~9:00)		1日当平均	1.0			0.1				0.4	0.1			2.1	3.7	1.1
					個/cm ²	9.9			0.6	0.3			3.4	0.9			20.4	35.5	11.0

11 月 2017

C 山 側

日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
							ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
水				1	1												1	0.3
木				2														
金				3														
土				4	1												1	0.3
日				5														
月				6												1	1	0.3
火				7	1											1	2	0.6
水				8	1												1	0.3
木				9	1												1	0.3
金				10	1											1	2	0.6
土				11														
日				12	1							1				1	3	0.9
月				13								1					1	0.3
火				14	2												2	0.6
水				15	2												2	0.6
木				16	2												2	0.6
金				17	1											1	2	0.6
土				18	1											1	2	0.6
日				19	1											1	2	0.6
月				20	2							1				1	4	1.2
火				21	1											3	4	1.2
水				22	1											3	4	1.2
木				23	1											2	3	0.9
金				24	1											2	3	0.9
土				25												3	4	1.2
日				26	1											2	3	0.9
月				27												2	2	0.6
火				28	1							1				1	3	0.9
水				29	1												1	0.3
木				30								1				1	2	0.6
金				31														
				合 計	25				1			5				27	58	17.9
				計測時間(7:00~9:00)	1日当平均	0.8						0.2				0.9	1.9	0.6
					個/cm ²	7.7			0.3			1.5				8.3	17.9	5.5

12 月 2017

A 浜 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タ デ 科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
金	1				1								1				1	0.3	
土	2				2												1	0.3	
日	3				3												1	0.3	
月	4				4														
火	5				5	1											1	2	0.6
水	6				6	1											1	2	0.6
木	7				7	1											1	2	0.6
金	8				8												1	1	0.3
土	9				9	1											1	1	0.3
日	10				10												1	1	0.3
月	11				11	1							1					2	0.6
火	12				12	1				1								2	0.6
水	13				13				1								1	2	0.6
木	14				14				1								1	2	0.6
金	15				15												1	1	0.3
土	16				16												1	1	0.3
日	17				17	1											1	2	0.6
月	18				18	1								1			1	3	0.9
火	19				19														
水	20				20														
木	21				21														
金	22				22														
土	23				23														
日	24				24	1												1	0.3
月	25				25												1	1	0.3
火	26				26														
水	27				27														
木	28				28														
金	29				29												1	1	0.3
土	30				30												1	1	0.3
日	31				31														
					合 計	9			2	1			2	1			16	31	9.6
			計測時間(7:00~9:00)		1日当平均	0.3			0.1				0.1				0.5	1.0	0.3
					個/cm ²	2.8			0.6	0.3			0.6	0.3			4.9	9.6	3.0

12 月 2017

B 中 間

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科	キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ				スイバ	ギンギシ			
金	1				1												1	1	0.3
土	2				2								1				2	3	0.9
日	3				3	1											2	3	0.9
月	4				4												1	1	0.3
火	5				5	1											1	2	0.6
水	6				6	1												1	0.3
木	7				7	1												1	0.3
金	8				8	1												1	0.3
土	9				9												1	1	0.3
日	10				10												1	1	0.3
月	11				11	1												1	0.3
火	12				12	1												1	0.3
水	13				13								1					1	0.3
木	14				14												1	1	0.3
金	15				15														
土	16				16														
日	17				17														
月	18				18														
火	19				19														
水	20				20														
木	21				21														
金	22				22														
土	23				23														
日	24				24														
月	25				25														
火	26				26														
水	27				27														
木	28				28														
金	29				29														
土	30				30														
日	31				31														
					合 計	7							2				10	19	5.9
			計測時間(7:00~9:00)		1日当平均	0.2							0.1				0.3	0.6	0.2
					個/cm ²	2.2							0.6				3.1	5.9	1.8

12 月 2017

C 山 側

	日	前日の 天 候	気温(℃)	風速(m/s)	日	スギ科	ヒノキ科	カバノキ科		キ ク 科		クワ科	ヤマモモ科	マツ科	イネ科	タデ科		その他	合 計	個/cm ²
								ハンノキ・ヤシヤブシ	セイダカ・ブタクサ	ヨモギ	カナムグラ	スイバ				ギンギシ				
金	1				1	1												1	0.3	
土	2				2								1				1	2	0.6	
日	3				3	1												1	0.3	
月	4				4	1												1	2	0.6
火	5				5	1												1	2	0.6
水	6				6	1												1	2	0.6
木	7				7	1													1	0.3
金	8				8	1													1	0.3
土	9				9													1	1	0.3
日	10				10													1	1	0.3
月	11				11	1								1				1	3	0.9
火	12				12	1												1	2	0.6
水	13				13									1				1	2	0.6
木	14				14															
金	15				15				1									1	1	0.3
土	16				16													1	1	0.3
日	17				17													1	1	0.3
月	18				18	1												1	2	0.6
火	19				19															
水	20				20															
木	21				21															
金	22				22															
土	23				23															
日	24				24															
月	25				25															
火	26				26															
水	27				27															
木	28				28															
金	29				29															
土	30				30													1	1	0.3
日	31				31													1	1	0.3
					合 計	10			1					3				14	28	8.6
			計測時間(7:00~9:00)		1日当平均	0.3								0.1				0.5	0.9	0.3
					個/cm ²	3.1			0.3					0.9				4.3	8.6	2.7